

REMARKS

Upon entry of this Preliminary Amendment, claims 1-51 will be pending. The foregoing amendments were made to eliminate multiple dependency and typographical errors. No new matter has been introduced by this amendment. Early and favorable examination on the merits is respectfully requested.

No fees are believed to be due in connection with this correspondence. However, please charge any payments due or credit any overpayments to our Deposit Account No. 08-0219.

The Examiner is encouraged to telephone the undersigned in order to expedite the prosecution of the instant application.

Respectfully submitted,  
HALE AND DORR LLP



Colleen Superko  
Reg. No. 39,850

Dated: December 21, 2001

HALE AND DORR LLP  
60 State Street  
Boston, MA 02109  
Tel.: (617) 526-6000  
Fax: (617) 526-5000

**MARKED-UP VERSION OF REPLACEMENT PARAGRAPHS IN  
SPECIFICATION UNDER 37 C.F.R. §1.121(b)(1)**

1. An insecticidal protein comprising the sequence:  
X<sub>1</sub>X<sub>2</sub>ICTPAGVKCPAALPCCPGLRCIGGVNNKVCR (SEQ ID NO: 1) wherein X<sub>1</sub>  
and X<sub>2</sub> are any amino acid.
2. An insecticidal protein according to claim 1 wherein X<sub>1</sub> and X<sub>2</sub> are  
selected from the group consisting of: Glycine; Lysine; Serine; Tyrosine; Alanine;  
Methionine; Threonine, Glutamic acid; Aspartic acid; Asparagine and Valine.
3. An insecticidal protein according to claim 2 comprising the  
sequence: GKICTPAGVKCPAALPCCPGLRCIGGVNNKVCR (SEQ ID NO: 2).
4. An insecticidal protein having at least 55% identity to a protein  
according to ~~any of claims 1 to 3~~ claim 1.
5. An insecticidal protein having at least 70% identity to a protein  
according to ~~any of claims 1 to 3~~ claim 1.
6. An insecticidal protein according to ~~any of claims 1 to 5~~ claim 1  
wherein the amino acid at position X<sub>1</sub> is modified.
7. An insecticidal protein according to claim 6 wherein the amino acid  
at position X<sub>1</sub> is acetylated.
8. An insecticidal protein according to claim 6 ~~to 7~~ wherein the amino  
acid at position X<sub>1</sub> is at the N-terminus.
9. A polynucleotide encoding a protein according to ~~any one of claims  
1 to 5~~ claim 1.
10. A polynucleotide sequence which is the complement of one which  
hybridises to a polynucleotide according to claim 9 at a temperature of about  
65°C in a solution containing 6 x SSC, 0.01% SDS and 0.25% skimmed milk  
powder, followed by rinsing at the same temperature in a solution containing 0.2  
x SSC and 0.1% SDS wherein said polynucleotide sequence still encodes an  
insecticidal protein.

11. A polynucleotide sequence according to claim 10 comprising the sequence depicted as SEQ ID NOS: 4 to 14.
12. An insecticidal synergistic combination comprising a first protein according to ~~any one of claims 1 to 8~~ claim 1 and at least one further protein.
13. A combination according to claim 12 wherein said further protein is an insecticidal CRY protein.
14. A combination according to claim 13 wherein the said further protein comprises a sequence selected from the group consisting of SEQ ID NOS: 54 to 59.
15. A polynucleotide which comprises regions encoding the first and further protein according to ~~any one of claims 12 to 14~~ claim 12.
16. A polynucleotide according to claim 15 wherein the region encoding said first protein comprises a sequence selected from the group depicted as SEQ ID NOS: 4 to 14.
17. A method of evolving a polynucleotide which encodes a protein having insecticidal properties comprising:
  - (a) providing a population of variants of said polynucleotide and further polynucleotides which encode further proteins, where at least one of said polynucleotides is in cell free form; and
  - (b) shuffling said variants and further polynucleotides to form recombinant polynucleotides; and
  - (c) selecting or screening for recombinant polynucleotides which have evolved towards encoding a protein having the said insecticidal properties; and
  - (d) repeating steps (b) and (c) with the recombinant polynucleotides according to step (c) until an evolved polynucleotide which encodes a protein having insecticidal properties has been acquired wherein said population of variants in part (a) contains at least a polynucleotide according to ~~any one of claims 9 to 11, 15 or 16~~ claim 9.
18. A method according to claim 17 wherein said population of variants in part (a) contains at least a polynucleotide encoding the protein

depicted as SEQ ID NO: 1 to 3 and/or said further polynucleotides in part (a) encode a CRY protein.

19. A polynucleotide obtainable or obtained by the method according to claim 17 ~~or 18~~.

20. A protein encoded by a polynucleotide according to claim 19.

21. A DNA construct comprising in sequence a plant operable promoter operably linked to a polynucleotide according to ~~any one of claims 9 to 11, 15, 16 or 19 or a polynucleotide encoding a protein according to claim 20 operably linked to a transcription termination region.~~ claim 9.

22. A DNA construct according to claim 21 which further comprises a region which provides for the targeting of the protein product to a particular location.

23. A DNA construct according to claim 21 ~~or 22~~ which further comprises a region which provides for the production of a protein which acts as a selectable marker.

24. A DNA construct according to ~~any one of claims 21 to 23~~ claim 21 wherein the plant operable promoter is selected from the group consisting of *Agrobacterium rhizogenes* Rold; potato protease inhibitor II; CaMV35S; FMV35S; NOS; OCS; Patatin; E9; alcA/alcR switch; GST switch; RMS switch; oleosin; ribulose biphosphate carboxylase-oxygenase small sub-unit promoter and other root specific promoters including MR7 promoter (maize); Gos 9 (rice) and GOS2 promoters.

25. A method of providing a plant or plant part with an insecticidal protein or an insecticidal synergistic combination comprising:

(a) inserting into the genome of plant material a polynucleotide according to ~~any one of claims 9 to 11, 15, 16 or 19 or a polynucleotide encoding a protein according to claim 20 or a DNA construct according to any one of claims 21 to 24, or~~ claim 9; or

~~(a)~~**(b)** inserting into the genome of plant material which is capable of producing a further protein, a polynucleotide according to ~~any one of claims 9 to 11, 19 or a polynucleotide encoding claim 9; or~~

**(c) inserting into the genome of plant material which is capable of producing** a protein according to claim 20 ~~or a DNA construct according to any one of claims 21 to 24; or 1; and~~

~~(a) inserting into the genome of plant material which is capable of producing a protein according to any one of claims 1 to 8 or a protein provided for by a polynucleotide according to any one of claims 9 to 11 or 19; a polynucleotide which provides for a further protein; and~~

~~(b)~~**(d)** regenerating plants or plant parts from said material; and

~~(c)~~**(e)** selecting the plants or plant parts having said protein or combination.

26. A method of providing a plant with a combination according to ~~any one of claims 12 to 14~~ **claim 12** comprising crossing a first plant which is capable of providing a first protein according to ~~any one of claims 1 to 8 or a first protein provided for by a polynucleotide according to any one of claims 9 to 11 or 19~~ **claim 1** with a second plant which is capable of producing a further protein and selecting the resultant plant which is capable of producing said combination.

27. Plants ~~of or~~ plant parts obtained according to the method of claim 25 ~~or plants obtained according to the method of claim 26.~~

28. Plants or plant parts according to claim 27 wherein said protein or the first protein of said combination is post transitionally modified.

29. Plants or plants parts according to claim 28 wherein said protein or the first protein of said combination is acetylated.

30. Plants or plant parts according to claim 28 ~~or 29~~ wherein said protein or the first protein is modified/acetylated at the N-terminus.

31. Plants or plant parts according to claim 27 ~~to 30~~ selected from the group consisting of melons, mangoes, soybean, cotton, tobacco, sugarbeet, oilseed rape, canola, flax, sunflower, potato, tomato, alfalfa, lettuce, maize,

wheat, sorghum, rye, bananas, barley, oat, turf grass, forage grass, sugar cane, pea, field bean, rice, pine, poplar, apple, peaches, grape, strawberries, carrot, lettuce, cabbage, onion, citrus, cereal, nut plants or other horticultural crops.

32. A method of providing a plant or plant part with a further desired agronomic trait comprising:

- (a) inserting into the genome of plant material a polynucleotide which provides for the desired agronomic trait; and
- (b) regenerating plants or plant parts from said material; and
- (c) selecting the plants or plant parts having said desired agronomic trait wherein said plant material is capable of producing an insecticidal protein according to ~~any one of claims 1 to 8 or a combination according to claims 12 to 14, or crossing a first plant according to any one of claims 27 to 31 with a second plant which provides for said further desired agronomic trait and selecting the resultant plant which is capable of producing the further agronomic trait.~~ claim 1.

33. A method according to claim 32 wherein the further desired agronomic trait is selected from the group consisting of: herbicide resistance; insect resistance; nematode resistance; stress tolerance; altered yield; altered nutritional value or any other desirable agronomic trait.

34. Plants or plant parts obtained according to the method of ~~claims~~ claim 32 or 33.

35. An insecticidal protein comprising the sequence depicted as: -X<sub>1</sub>-X<sub>2</sub>-X<sub>3</sub>-Cys<sub>4</sub>-X<sub>5</sub>-X<sub>6</sub>-X<sub>7</sub>-X<sub>8</sub>-X<sub>9</sub>-X<sub>10</sub>-Cys<sub>11</sub>-X<sub>12</sub>-X<sub>13</sub>-X<sub>14</sub>-X<sub>15</sub>-X<sub>16</sub>-Cys<sub>17</sub>-Cys<sub>18</sub>-X<sub>19</sub>-X<sub>20</sub>-X<sub>21</sub>-X<sub>22</sub>-Cys<sub>23</sub>-X<sub>24</sub>-X<sub>25</sub>-X<sub>26</sub>-X<sub>27</sub>-X<sub>28</sub>-X<sub>29</sub>-X<sub>30</sub>-X<sub>31</sub>-Cys<sub>32</sub>-X<sub>33</sub>- (SEQ ID NO: 60) wherein X<sub>1-3</sub>, ~~5-X<sub>5-10</sub>~~, ~~12-X<sub>12-16</sub>~~, ~~19-X<sub>19-22</sub>~~, ~~24-X<sub>24-31</sub>~~ and ~~33 X<sub>33</sub>~~ is any amino acid.

36. An insecticidal protein having a FASTA opt score greater than 109 when compared with SEQ ID NO: 1 using FASTA algorithm Version 3.

37. An insecticidal protein obtainable from *Paecilomyces* sp.

38. An insecticidal protein according to claim 37 obtainable from *Paecilomyces farinosus*.

39. A method of controlling insects comprising providing at a locus where the insects feed a protein according to ~~any one of claims 1 to 8, 20, 35 to 38 or a combination according to any one of claims 12 to 14:~~ claim 1.

40. Use of a polynucleotide according to ~~any one of claims 9 to 11, 15, 16 or 19 or a DNA construct according to any one of claims 21 to 24 in the production of plants or plant parts which are resistant to insects:~~ claim 9 t.

41. Use of a protein according to ~~any one of claims 1 to 8, 20, 35, or 38 or a combination according to any one of claims 12 to 14 as an active ingredient of a pesticide:~~ claim 1.

42. Use of a *Paecilomyces Sp.* in the preparation of a pesticide containing as an active ingredient a protein according to ~~any one of claims 1 to 8~~ claim 1.

43. Use according to claim 42 wherein said *Paecilomyces Sp.* has been modified to allow for increased production of a protein according to ~~any one of claims 1 to 8~~ claim 1.

44. A recombinant micro-organism which provides for production of a protein according to ~~any one of claims 1 to 8, 20, 35, to 38 or a combination according to any one of claims 12 to 14 or a protein encoded by a polynucleotide according to any one of claims 9 to 11, 15, 16 or 19:~~ claim 1.

45. A recombinant baculovirus which comprises a protein according to ~~any one of claims 1 to 8, 20, 35 to 38 or a combination according to any one of claims 12 to 14 or a protein encoded by a polynucleotide according to any one of claims 9 to 11, 15, 16 or 19:~~ claim 1.

46. Use of a baculovirus according to claim 45 in a method of controlling insects.

47. An insecticidal protein which is capable of reacting with a monoclonal antibody raised to the protein depicted as SEQ ID NO: 1.

48. A composition comprising an insecticidally effective amount of a protein according to ~~any one of claims 1 to 8, 20, 35 to 38 or a combination according to any one of claims 12 to 14 or a protein encoded by a polynucleotide~~

~~according to any one of claim 9 to 11, 15, 16 or 19 and optionally an agriculturally acceptable carrier and/or a diluent and/or an insect attractant.~~ claim 1.

49. A polynucleotide comprising a first region encoding an insecticidal protein according to ~~any one of claims 1 to 8, 20, 35 to 38 and a further region encoding a further protein.~~ claim 1.

50. A plant cell comprising a protein according to ~~any one of claims 1 to 8, 20, 35 to 38 or a combination according to any one of claims 12 to 14 or a polynucleotide according to any one of claims 9 to 11, 15, 16 or 19.~~ claim 1.

51. An insecticidal protein comprising the motif depicted as -LPCCPG- (SEQ ID NO: 63).